

Plausible energy demand patterns in a growing global economy with climate policy

November 2020

Gregor Semieniuk^a, Lance Taylor^b, Armon Rezai^c, and Duncan Foley^d

Reducing energy demand has become a key mechanism for limiting climate change, but practical problems with large energy savings in a growing global economy and, importantly, in its lower-income parts remain. Using new energy-GDP data, we show that adopting the same near-term low-energy growth trajectory in all regions in IPCC scenarios limiting global warming to 1.5°C presents an unresolved policy challenge. We discuss this challenge of combining energy demand reductions with robust income growth for the 6.4 billion people in middle and low income countries in light of economic development's reliance on industrialisation. Our results highlight the importance of addressing limits to energy demand reduction in integrated assessment modelling when regional economic development is powered by industrialization and instead exploring faster energy supply decarbonization. Insights from development economics and other disciplines could help generate plausible assumptions given the financial, investment and stability issues involved.

Limiting global warming to 2°C or even 1.5°C requires carbon emissions from energy to reach net zero by around mid-century¹. Reducing energy demand is considered a key mechanism for emissions reduction and alleviates the burden on the two other principal measures: decarbonisation of the energy supply, and carbon dioxide removal (CDR)². However, energy is key for the economy. The implications for global and regional economic growth of reducing energy demand are insufficiently explored but central in integrated assessment models (IAMs).

Scenarios from IAMs synthesized in the IPCC Special Report on Global Warming of 1.5°C imply that absolute decoupling (i.e. reducing energy consumption while growing GDP) is both readily feasible and inexpensive³. The report presents 90 scenarios limiting the temperature increase to 1.5°C by 2100. In the near term, all continue or exceed historically observed GDP

^a University of Massachusetts Amherst, and SOAS University of London, gsemienuk@umass.edu

^b New School for Social Research, keynes876@gmail.com

^c Vienna University of Economics and Business, International Institute for Applied Systems Analysis (IIASA), and Vienna Institute for International Economic Studies (WIIW), armon.rezai@wu.ac.at

^d New School for Social Research, foleyd@newschool.edu

growth rates. However, the scenarios assume declining primary energy (PE) demand in contrast to historical patterns, with median global PE demand falling by 13.6% between 2020 and 2030 to a rate of 507.5EJ/yr or 16.1TW, below the level of 2010. Some of this reduction is achieved by shifting from fossil to more efficient renewable energy sources. The resulting decarbonisation would be insufficient for meeting the 1.5°C constraint, so scenarios also require final energy (FE) demand to fall by a median 8.0% over the same period. Once decarbonisation is sufficiently advanced and/or CDR technologies become cost-competitive after 2040, energy demand is projected to return to its historical growth trend. These patterns are less pronounced, but qualitatively similar, in scenarios limiting temperature rise to 2°C.

How plausible are these near-term projections? Economic growth-energy trajectories of rich, de-industrialising countries can be argued to decouple. But a large majority (84%) of the global population currently lives in low and middle income countries which are still set on a development path involving industrialisation. Using a new global dataset on national output-energy relationships from 1950 to the present, we discuss why decoupling trends contained in the current scenarios is hard to justify for robustly growing developing countries and explore how the underlying models' explanatory power could be improved. Focusing on the extreme case of the (relatively poor) Middle East and Africa region, we illustrate that scenario assumptions about decoupling, catching-up, and energy demand (e.g. that per capita FE demand is projected to fall, often below levels deemed critical for decent living standards, while income growth accelerates) imply a near-term mitigation capacity qualitatively similar to that of rich countries and a development path at odds with historical data and insights from development economics. While large efficiency improvements are thermodynamically possible, achieving the projected absolute decoupling alongside successful industrialisation presents an unresolved policy challenge. Growth strategies, financing of investments in capital constrained developing countries, means of technology transfer, and macroeconomic policy could facilitate both. Spelling them out explicitly could clarify lower limits on energy demand in growing economies and help uncover opportunities for modelling faster energy supply decarbonisation.

Economic Activity and Energy Demand

The dependence of economic output on energy can be expressed by decomposing output per capita (or labour productivity), Y/P , often seen as a measure of affluence, into energy per capita, E/P , and the inverse of energy intensity or energy 'productivity' of output in economists' jargon, Y/E ,

$$\frac{Y}{P} = \frac{Y}{E} \frac{E}{P} \quad (1)$$

This is an economically-inspired decomposition⁴ related to the widely used Kaya identity.⁵ Labour productivity growth requires either a decline in energy intensity (higher average energy productivity) or more energy per worker. Because energy enters the economy as primary energy (PE) and becomes final energy (FE) before acting directly on producing value as useful energy (UE), (1) can be further decomposed into

$$\frac{Y}{P} = \frac{Y}{E} \frac{E}{E} \frac{PE}{PE} \frac{PE}{P} \quad (2)$$

where first law conversion efficiencies from PE to FE, and on to useful energy, UE, determine how much PE input is needed for a given useful energy output. Exergy or second law efficiency imposes upper bounds on these conversion ratios and thus a lower bound on energy intensity at every level.

In this sense, reducing energy demand is different from decarbonising its supply: there is no particular reason why the economy cannot run on a 100% decarbonised energy mix. However, thermodynamics explains why a minimum of energy must be involved in all productive human activity. Primary to final energy conversion efficiencies can be vastly improved when decarbonising the energy supply, and its magnitude is partly an accounting question.⁶ The pivot is the final to useful conversion efficiency, for which large theoretical and also significant technical potentials for improvement exist.^{7,8} The pertinent obstacles in a socio-economic context however are economic and behavioural, i.e. practical, limits to the rate at which efficiency improvements can be implemented in growing and developing economies, whose primary aim is to raise labour productivity and income per capita, not to improve energy efficiency.

Historical trends

The relationship between economic activity and energy demand has been widely analysed (see supplementary note 1). Historically, primary to final and useful conversion efficiencies have improved, but slowly. The useful energy to output ratio is stable without time trend⁹. Therefore, most labour productivity growth over the past three centuries translated into higher PE demand^{10–13}. Since the Industrial Revolution humans unlock the energy stored in fossil fuels and power increasing amounts of useful labour human workers perform^{14,15}. Labour productivity rose twentyfold between 1820 and the end of the millennium in Europe and its Western offshoots¹⁶. Most other countries have since embarked on the same process of energy-intensive technical change, aspiring to similar increases in labour productivity and the resulting standards of living. Economic historians mostly track correlations in GDP and primary energy per capita¹⁵, although recent work tentatively confirms similar patterns for final and useful energy demand^{9,17,18}.

[Figure 1 about here]

The relationship between energy use (PE/P) and labour productivity (Y/P) is clearly visible in our historical country-level dataset. Figure 1a depicts annual data for 186 countries over a period 1950-2014, comprising ~99% of global population in most years, on a log-log scale. It reveals a very tight correlation between GDP per capita (Y/P) and PE, with a Spearman rank correlation coefficient of 0.86 for the overall sample. While country-specific differences exist due to geography, climate, institutions, idiosyncratic production and consumption patterns etc., pooled data show that increases in GDP per capita go in hand with increases in PE per capita, both across countries and time. A flexible regression gives a nearly linear fit in the log-log plot over the interval relevant to today's developing countries. The estimated GDP elasticity of primary energy, i.e. the logarithmic derivative of primary energy divided by that of GDP, is 0.89 over the interval of USD 2,000 to USD 20,000 in 2011 purchasing power parity (a country belongs to the high-income group from a GDP of around USD 12,500 per capita). In other words, a 10% increase in GDP/capita corresponds to a 8.9% increase in PE/capita (see Methods), with the remaining 1.1% capturing the gradual reductions of primary energy intensity, PE/GDP, over time¹⁹. The regression line flattens at very low levels suggesting a minimum level of energy use even when large parts of the economy operate in non-market subsistence activities or during (civil) war, e.g. the leftmost observations in the plot capture Liberia's first civil war. Data points above USD 130,000 are small oil exporting countries, introducing strong idiosyncrasies to the regression at such income levels. Our findings are robust to relevant subsamples (e.g. only large economies, the G20, etc.) and to alternative measures of GDP and population (supplementary note 2).

Globally, labour productivity and per capita energy measures have been growing over the complete sample, except for periods of crisis. Figure 1b divides global rates of change of GDP and PE/capita into three subperiods, corresponding to economic growth performance. The fastest global labour productivity growth on record occurred during 1950-73, known as the Golden Age of Capitalism (Gold)¹⁶. Rapid economic expansion was underpinned by an almost equally rapid growth in energy demand in particular for cheap oil and electricity; and rural electrification in many developing countries started virtually from scratch^{20,21}. The Golden Age was followed by a period of crises and slow growth for the rest of the 20th century (Slow).¹⁶ Sluggish GDP growth during the 1973 and 1978-9 oil crises preceded the deepest recession in 1981 the world had seen since the Great Depression. Deindustrialisation and productivity slowdown in rich countries combined with the transitions of formerly socialist economies, several of whom went through severe depressions, kept average growth rates lower

throughout the 1980s-90s²². Higher energy prices and supply curtailment set in train energy demand restraint and efficiency-increasing technological change in rich countries. Meanwhile, the economic collapse of the Soviet Union forced a revision of its comparatively low efficiency energy sector and production processes²³. China's fast machinery upgrading combined with a shift towards light industry in the 1980s-90s, temporarily slowed its energy demand growth relative to that of GDP²⁴. These one-time shifts produced an almost stagnant PE/capita trajectory. After the millennium, growth in both measures rebounded, driven increasingly by China's return to more energy intensive production, but also 'emerging markets' more generally. Fast growth in all indicators was interrupted by the Great Recession 2008-09. Growth rates subsequently returned to pre-millennium levels. Overall, faster growth in one indicator was positively correlated with faster growth in the other, and PE demand growth was a good proxy also for that of FE (extended data figure 2). And while energy demand in rich countries has been stagnating and even falling, growth is continuing unchanged in middle and low income countries (figure 1c).

Future Scenarios

Stringent mitigation policy strives to break (some of) these historical trends. Scenarios of the IPCC special report calculate that in order to achieve the 1.5°C goal, a structural break from historical total energy-income relationships is needed in the coming twenty years. To characterize this break, figure 2a combines future projections of output and FE/capita with aggregated historical data from figure 1a. The historical trend (black in figure 2a) is upwards and rightwards. Extrapolations based on the three historical periods (red in figure 2a) continue in this direction: faster economic growth in the Gold and Millennium periods (further right) is associated with faster increases in energy demand (further up). Scenario pathways in contrast combine robust growth in per capita GDP with an unprecedented sustained reduction in FE/capita, particularly in the 2020s and 2030s. Similar results hold for PE and for scenarios limiting warming to 2°C (extended data figure 2).

[Figure 2 about here]

Four scenario pathways (blue in figure 2a), highlighted as so-called archetype scenarios in the IPCC special report, are based on the shared socioeconomic pathways (SSP) 1, 2, and 5 and a 'low energy demand' (LED) scenario, which is also based on SSP2. Significant near term FE/capita reductions occur in all of them except SSP5, which assumes that current carbon-intensive development is adopted globally and projects GDP/capita growth faster than seen even during the Golden Age. Since other mitigation avenues are assumed to be unavailable and/or exhausted, CDR is cost-effectively deployed to meet meaningful climate

targets in SSP5²⁵. In SSP2 past technological, economic, and social dynamics are extrapolated and CDR is less costs-effective²⁶. As a result, energy demand has to fall to meet the 1.5°C target, with rates of energy intensity reductions surpassing previous records set in the 1980s-90s. GDP/capita growth is robust, similar to the Millennium period average. The SSP1 “green growth” scenario is optimistic by design and, therefore, least consistent with historical trends, combining historically unobserved high GDP/capita growth rates with a 17% reduction in FE/capita from 2020 to 2030²⁷. The LED is a Goldilocks scenario with the same baseline as SSP2, but with efficiency improvements and demand reductions due to consumer habits following best practice in both the global South and North²⁸. FE/capita falls by 32% from 2020 to 2030. This ensemble of scenarios unmistakably illustrates the clean break with past energy drivers of economic growth underlying the 1.5°C and 2°C targets.

This structural break extends to the regional level and is particularly striking for regions with lower labour productivity, represented by the *Middle East and Africa* (MAF) region in figure 2b. In this region, median GDP growth per capita and year across scenarios runs at healthy 2.5% during 2020-2050, compared with stagnating 0.1% during 1973-2000 and meagre 1.4% during 2000-18. Since 1950, FE/capita has increased continuously in the MAF region, from less than 0.4kW/capita to around 1kW/capita. This is low compared to the global average of 1.75kW/capita and lower still in some African countries, as the MAF average masks the large variation between Middle Eastern oil exporters and sub-Saharan agrarian economies. However, rather than converging toward the world average and in spite of the evidence that, especially at these low levels, development (including GDP growth) and energy are particularly strongly coupled, almost all scenarios project steep declines in FE demand for the MAF region²⁹. A majority of scenarios even move significantly below the 0.95kW/cap (30GJ/yr/cap) FE identified as tantamount to low levels of development in the SSP literature itself³⁰. The most extreme case sees a 56% reduction from 2020 to 2030 to a rate of below 0.5kW/cap (supplementary note 4 for detail). Similar patterns are projected in Asia and to a lesser extent Latin America (extended data figure 3). Put differently, the scenarios rely heavily on final to useful energy efficiency improvements to provide energy services for development.

[Figure 3 about here]

Mitigation strategies can also be characterized by comparing scenarios with their own baselines in addition to historical evidence.³¹ Figure 3a documents the near-term deviation of both reference and policy scenarios' growth rates from historical rates, by subtracting average growth rates for 1971-2015 that the IPCC report uses as its own validation period. Most global baselines (marked by asterisks) correlate faster GDP/capita growth with faster FE/capita

growth than historically observed in the period to 2030. Remarkably, in the report short term GDP/capita growth accelerates in every single (global) baseline, which features successful mitigation (supplementary figure 5). While global baseline energy demand elasticity, thus, tends to follow historical elasticities, regions see more variation. The MAF region is the only region to absolutely decouple FE/capita from economic growth, which always accelerates, in every baseline (Figure 3a). Only few regional baselines (in Asia and the OECD) lower reference economic growth rates, with Asia moderating from fast historical rates and FE/capita growth rate change is negative more often (supplementary figure 5). In sum, all reference scenarios project near-term economic development highly successful by historical standards, with some regions also decoupling in the baseline.

The above-historical GDP growth in baselines impose more stringent requirements on energy demand reduction for mitigation. Mitigation is assumed to leave economic growth rates virtually unchanged while energy demand plummets (Figure 3b). Deviations from baselines are an order of magnitude larger for final energy than GDP. This is independent of whether GDP is exogenous or endogenous in the IAM used (supplementary figure 6a). The MAF region exhibits the same flexibility for energy demand reductions as other regions, despite its much lower base level and in addition to the substantial savings already assumed in baseline scenarios. After 2040 growth in energy demand converges in mitigation and baseline scenarios. As decarbonisation advances and/or CDR measures come online, energy demand is a lesser constraint on emissions. The near-term break is less pronounced but qualitatively similar in scenarios limiting warming to below 2°C (supplementary figures 5,6b). Broadly speaking, baseline assumptions ensure high income growth, while mitigation decouples energy demand. Mitigation scenarios depict (unprecedentedly) rapid development across the board while implying large gains in final to useful energy conversion efficiency. How can these patterns be motivated?

Problems with regional absolute decoupling

While models behind the scenarios discussed above vary in their details about future trends, they share the same theoretical approach to economy-energy modelling. Responses to carbon prices are assumed to be efficient, smooth, and in principle arbitrarily large. Except for differences in parameter values, high-, middle- and low-income economies are modelled the same way. Supplementary note 6 critically discusses economic growth theory in IAMs.

Yet, development economics tells a cautionary tale about assuming efficient growth without explaining how it is achieved. The simple idea of “getting the prices right”, by imposing high corrective carbon prices or equivalent policies, must contend with two centuries of economic

history. Achieving sustained and fast economic growth from low levels has been far from the norm since the 1950s, and where it has been achieved it was universally by industrialisation. Industrial production requires higher commercial energy inputs per worker than either (subsistence) farming or services, and industrialisation has historically tended to imply growing, not falling, commercial energy intensity^{32–34}. Yet, in order to realise the robust growth rates projected for the less affluent regions and the world as a whole, some form of industrialisation has to take place. Achieving this industrialisation is difficult. Simultaneously maximising energy conversion efficiency as emphasized in the scenarios above poses an unresolved policy challenge.

In order to industrialize and adopt ‘frontier’ technology, developing countries have to import capital goods from rich country producers. This is true for any form of industrialization and even more so for the kind of energy-saving industrialisation envisioned by the IPCC scenarios. To do so, low-income countries face what are known as ‘two gap’ problems in development economics. The domestic lack of savings hinders investments (gap 1), and excessive trade deficits – e.g. from the need to import high efficiency capital goods – makes these investments even more expensive (gap 2)³⁵. To get around this financing dilemma, less efficient but cheaper and possibly domestically produced machines could be installed. This would however ‘lock in’ the lower level of efficiency for the machines’ lifetimes³⁶. Case studies of tapping vast energy efficiency potentials tend to describe situations where financing is not a constraint,³⁷ and how quickly or whether efficiency improvements pay for themselves is context-dependent³⁸.

The capital constraint is accentuated when recognising the limited domestic resources available in most countries³⁹. Incomes reported in purchasing power parity (PPP) inflate lower income countries’ resources to reflect relatively cheap domestic purchases. However, to the extent that energy efficient products must be purchased internationally, market exchange rates count. In 2018 middle and low income countries had only 42% the income in terms of US dollars at market exchange rates compared to PPP (USD4,967 vs. USD11,769 per capita). Borrowing internationally and in foreign currency to finance these investments is risky and costly, as a predominance of international finance can have destabilising effects.^{40,41} Shrewd macroeconomic policy in developing countries could help with improving economic conditions and enabling the financing. It must also stabilise economies that are disrupted by high carbon prices.

Abrupt and unanticipated changes in prices (energy or otherwise) have caused recessions with high unemployment through upending the original production structure based on a

different set of prices. The aftermath of the 1978-79 oil crisis is one example of this; it also helped cause debt defaults in Latin American countries when their foreign debts denominated in dollars became more expensive in the wake of the US' hike in interest rates (Volcker shock) to deal with US price changes. Additionally, disruptions from price-focussed climate policy could cause asset stranding, default on debts, and a destabilisation of the financial system via these 'transition risks', another area that needs a macroeconomic policy response⁴². IAMs, originally designed for long-term analysis, assume smooth paths of adjustment with any price combination and lack a proper depiction of governments. Yet, as the short-term assumes crucial importance for ambitious mitigation, the question of how financing and macroeconomic stability in developing countries constrains model pathways requires scrutiny^{43,44}.

Research Directions

Economists have historically tended to be more bullish than other disciplines about the economy's ability to overcome resource constraints via substitution^{45,46}. Yet, the smooth substitution in developing countries of vastly more energy efficient technologies over the next couple of decades alongside successful development implied by current climate policy scenarios in IAMs is challenging also by these standards. None of this even addresses rebound effects, which are poorly understood at the macroeconomic level but could be substantial,⁴⁷ additional consumption at the extensive margin, such as first-time purchase of white goods,⁴⁸ or increased air-conditioning in a warming climate⁴⁹. Historical evidence and development economics strongly suggest saving energy cannot play the role it is currently assigned in scenarios.

IAMs were designed to produce consistent long-run projections of the climate and the economy. With climate change accelerating and policy lagging behind, model scenarios push to the limits of feasibility in multiple domains to achieve stringent mitigation targets. Hence, such scenarios have to be interpreted as conditional explorations. However, we argue that various IAM scenarios ignore important institutional constraints, which we believe to be binding due to historical evidence. Since IAMs cannot test their results against data that is not yet generated, they must convince with strong explanatory power that their pathways are plausible^{31,50}. Our analysis of the development of energy demand alongside robust economic growth across regions suggests that the details of near-term "development without energy" need to be better understood for making plausible assumptions.⁵¹

Key details would involve clarifying developing country growth strategies (particularly industrialisation) and their energy implications, as well as problems of financing and stabilization in the short-term. Taking industrialisation as a growth strategy seriously may

challenge some of the assumptions about low energy growth as we argued here. But more attention to explicit modelling of investment and its financing may loosen other constraints. While daunting challenges also exist in decarbonising developing countries' energy mix,³⁹ robust investment-price decline relationships could highlight opportunities for faster energy supply decarbonisation⁵², where IAMs have been shown to depict slow rates of change relative to historical figures^{53–55}.

First attempts to quantify global investments within IAMs⁴⁴ and independent studies^{40,56,57} are promising, and financing and risks to stability are also starting to be considered⁵⁸. Research on the political feasibility of such investments and potential trade-offs between different mitigation policies has not yet produced robust evidence, but suggests that barriers may exist^{59,60}. With their rapid break from past patterns of growth in economic output and energy inputs, the scenarios show just how difficult the challenge for a concerted policy effort is to simultaneously sustain economic growth, redirect investments towards low-carbon alternatives, improve policy cooperation and prevent rebound effects with price policies that must nonetheless not be regressive. Detailing the process by which this happens would make them even more helpful tools in the design and analysis of climate change mitigation.

Bibliography

1. Rogelj, J. *et al.* Scenarios towards limiting global mean temperature increase below 1.5 °C. *Nat. Clim. Chang.* **8**, 325–332 (2018).
2. Vuuren, D. P. Van *et al.* Carbon budgets and energy transition pathways. *Environ. Res. Lett.* **11**, 075002 (2016).
3. Rogelj, J. *et al.* Mitigation Pathways Compatible with 1.5°C in the Context of Sustainable Development. in *Global warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change*, (eds. Masson-Delmotte, V. *et al.*) (Cambridge University Press, 2018).
4. Taylor, L. Energy Productivity, Labor Productivity, and Global Warming. in *Twenty-First Century Macroeconomics. Responding to the Climate Challenge* (eds. Harris, J. & Goodwin, N.) (Elgar, 2009).
5. Nakićenović, N. *et al.* *Special Report on Emissions Scenarios*. (Cambridge University Press, 2000).
6. Koomey, J., Schmidt, Z., Hummel, H. & Weyant, J. Inside the Black Box : Understanding key drivers of global emission scenarios. *Environ. Model. Softw.* **111**, 268–281 (2019).

7. Cullen, J. M., Allwood, J. M. & Borgstein, E. H. Reducing energy demand: What are the practical limits? *Environ. Sci. Technol.* **45**, 1711–1718 (2011).
8. Nakićenović, N., Gilli, P. V. & Kurz, R. Regional and global exergy and energy efficiencies. *Energy* **21**, 223–237 (1996).
9. Serrenho, A. C., Warr, B., Sousa, T. & Ayres, R. U. Structure and dynamics of useful work along the agriculture-industry-services transition : Portugal from 1856 to 2009. *Struct. Chang. Econ. Dyn.* **36**, 1–21 (2016).
10. Smil, V. *Energy in World History*. (Westview Press, 1994).
11. Crosby, A. W. *Children of the sun : a history of humanity's unappeasable appetite for energy*. (W.W. Norton, 2006).
12. Fouquet, R. A brief history of energy. in *International Handbook of the Economics of Energy* (eds. Evans, J. & Hunt, L. C.) (Edward Elgar, 2009).
13. O'Connor, P. A. & Cleveland, C. J. U.S. energy transitions 1780-2010. *Energies* **7**, 7955–7993 (2014).
14. Wrigley, E. A. *Energy and the English Industrial Revolution*. (Cambridge University Press, 2010). doi:DOI: 10.1017/CBO9780511779619
15. Kander, A., Malanima, P. & Warde, P. *Power to the people : energy in Europe over the last five centuries*. (Princeton University Press, 2013).
16. Maddison, A. *The World Economy: A Millennial Perspective*. (OECD, 2001).
17. Fouquet, R. *Heat, Power and Light: Revolutions in Energy Services*. (Edward Elgar Publishing Limited, 2008).
18. De Stercke, S. Dynamics of Energy Systems: a Useful Perspective. *IIASA Interim Rep.* **IR-14-013**,
19. Csereklyei, Z., Rubio-Varas, M. d. M. & Stern, D. I. Energy and Economic Growth: The Stylized Facts. *Energy J.* **37**, 223–255 (2016).
20. UN ECAFE. Rural Electrification. *United Nations Publ.* **E/CN.11/39**, (1954).
21. Fouquet, R. Historical energy transitions: Speed, prices and system transformation. *Energy Res. Soc. Sci.* **22**, 7–12 (2016).
22. Semieniuk, G. Energy in Economic Growth: Is Faster Growth Greener? *SOAS Dep. Econ. Work. Pap. Ser.* **208**, (2018).
23. Dienes, L., Dobozi, I. & Radetzki, M. *Energy and Economic Reform in the Former Soviet Union*. (Macmillan, 1994).
24. Zhang, Z. X. Why did the energy intensity fall in China's industrial sector in the 1990s? The relative importance of structural change and intensity change. *Energy Econ.* **25**, 625–638 (2003).
25. Kriegler, E. *et al.* Fossil-fueled development (SSP5): An energy and resource intensive scenario for the 21st century. *Glob. Environ. Chang.* **42**, 297–315 (2017).

26. Fricko, O. *et al.* The marker quantification of the Shared Socioeconomic Pathway 2: A middle-of-the-road scenario for the 21st century. *Glob. Environ. Chang.* **42**, 251–267 (2017).
27. Vuuren, D. P. Van *et al.* Energy , land-use and greenhouse gas emissions trajectories under a green growth paradigm. *Glob. Environ. Chang.* **42**, 237–250 (2017).
28. Grubler, A. *et al.* A low energy demand scenario for meeting the 1.5 °c target and sustainable development goals without negative emission technologies. *Nat. Energy* **3**, 515–527 (2018).
29. Vita, G., Hertwich, E. G., Stadler, K. & Wood, R. Connecting global emissions to fundamental human needs and their satisfaction. *Environ. Res. Lett.* **14**, (2019).
30. Bauer, N. *et al.* Shared Socio-Economic Pathways of the Energy Sector - Quantifying the Narratives. *Glob. Environ. Chang.* **42**, 316–330 (2017).
31. Schwanitz, V. J. Evaluating integrated assessment models of global climate change. *Environ. Model. Softw.* **50**, 120–131 (2013).
32. Nielsen, H., Warde, P. & Kander, A. East versus West: Energy intensity in coal-rich Europe, 1800–2000. *Energy Policy* **122**, 75–83 (2018).
33. Appleby, P., Fennema, J., Naumov, A., Schaffer, M. & Christof, R. Economic development and the demand for energy : A historical perspective on the next 20 years. **50**, 109–116 (2012).
34. Ocampo, J. A., Rada, C. & Taylor, L. *Growth and Policy in Developing Countries*. (Cambridge University Press, 2009).
35. Taylor, L. Gap models. *J. Dev. Econ.* **45**, 17–34 (1994).
36. Fouquet, R. Path dependence in energy systems and economic development. *Nat. Energy* **1**, (2016).
37. Lovins, A. B. How big is the energy efficiency resource? *Environ. Res. Lett.* **13**, 090401 (2018).
38. Fowlie, M., Greenstone, M. & Wolfram, C. Do Energy Efficiency Investments Deliver? Evidence from the Weatherization Assistance Program. *Q. J. Econ.* **133**, 1597–1644 (2018).
39. Rozenberg, J., Davis, S. J., Narloch, U. & Hallegatte, S. Climate constraints on the carbon intensity of economic growth. *Environ. Res. Lett.* **10**, (2015).
40. UNCTAD. *Trade and Development Report 2019: Financing a Global Green New Deal*. (United Nations Conference on Trade and Development, 2019).
41. Bresser-Pereira, L., Oreiro, J. & Marconi, N. *Developmental Macroeconomics*. (Routledge, 2014). doi:<https://doi.org/10.4324/9780203583500>
42. Semieniuk, G., Campiglio, E., Mercure, J.-F., Volz, U. & Edwards, N. Low-carbon transition risks for finance. *WIREs Clim. Chang.* **In press**, (2020).

43. Kriegler, E. *et al.* Short term policies to keep the door open for Paris climate goals. *Environ. Res. Lett.* **13**, (2018).
44. McCollum, D. L. *et al.* Energy investment needs for fulfilling the Paris Agreement and achieving the Sustainable Development Goals. *Nat. Energy* **3**, 589–599 (2018).
45. Foley, D. K. Dilemmas of economic growth. *East. Econ. J.* **38**, 283–295 (2012).
46. Solow, R. M. Is the End of the World at Hand? *Challenge* **16**, 39–50 (1973).
47. van Benthem, A. A. Energy Leapfrogging. *J. Assoc. Environ. Resour. Econ.* **2**, 93–132 (2015).
48. Wolfram, C., Shelef, O. & Gertler, P. How Will Energy Demand Develop in the Developing World? *J. Econ. Perspect.* **26**, 119–138 (2012).
49. Davis, L. W. & Gertler, P. J. Contribution of air conditioning adoption to future energy use under global warming. *Proc. Natl. Acad. Sci.* **112**, 5962 LP – 5967 (2015).
50. Anderson, K. & Jewell, J. Debating the bedrock of climate-change mitigation scenarios. *Nature* **573**, 348–349 (2019).
51. Steckel, J. C., Brecha, R. J., Jakob, M., Strefler, J. & Luderer, G. Development without energy? Assessing future scenarios of energy consumption. *Ecol. Econ.* **90**, 53–67 (2013).
52. Nagy, B., Farmer, J. D., Bui, Q. M. & Trancik, J. E. Statistical Basis for Predicting Technological Progress. *PLoS One* **8**, 1–7 (2013).
53. Wilson, C., Grubler, A., Bauer, N., Krey, V. & Riahi, K. Future capacity growth of energy technologies: are scenarios consistent with historical evidence? *Clim. Change* **118**, 381–395 (2013).
54. Creutzig, F. *et al.* The underestimated potential of solar energy to mitigate climate change. *Nat. Energy* **2**, (2017).
55. Mohn, K. The Gravity of Status Quo: A Review of IEA's World Energy Outlook. *Econ. Energy Environ. Policy* **9**, 63–81 (2020).
56. Rezai, A., Taylor, L. & Foley, D. K. Economic Growth, Income Distribution, and Climate Change. *Ecol. Econ.* **146**, 164–172 (2018).
57. Pollin, R. Greening the Global Economy. in (MIT Press, 2015).
58. Battiston, S., Monasterolo, I., Riahi, K. & van Ruijven, B. J. Climate mitigation pathways need to account for the ambivalent role of finance. *Manuscr. Prep.* (2020).
59. Patt, A., van Vliet, O., Lilliestam, J. & Pfenninger, S. Will policies to promote energy efficiency help or hinder achieving a 1.5 °C climate target? *Energy Effic.* **12**, 551–565 (2019).
60. Jewell, J. & Cherp, A. On the political feasibility of climate change mitigation pathways: Is it too late to keep warming below 1.5°C? *WIREs Clim. Chang.* **11**, e621 (2020).

Figure 1 | Historical output and energy per capita relation: (a) Output per capita in 2011 kiloUSD at purchasing power parity (PPP) and primary energy per capita in kilowatt for 186 countries 1950-2014 (unbalanced). Direct equivalent primary energy includes non-commercial sources but excludes muscle power. **(b)** Global annual and average growth rates during three historical periods. **(c)** Rate of energy flow in high income and other countries, 1950-2014. Sources: see Methods.




Figure 2 | Projections of output and final energy per capita relation until 2050: (a)

Global income per capita and final energy per capita projections of 1.5°C scenarios to 2050 in grey. Archetype scenarios are in blue. Scenario values have been normalised to start at the same historical level in 2010. Markers indicate decades. Black is the historical trajectory and the red lines extrapolate 1950-73 (Gold), 1973-2000 (Slow) and 2000-18 (Millennium) growth rates. The Gold extrapolation is truncated after 2030 to avoid extending the y-axis. (b) Same as (a) but for Middle East & Africa region. Sources: see methods.




Figure 3 | Reference and policy scenario growth rate deviations from historical rates:

(a) Growth rate deviation in percentage points in scenarios in 2020-30 relative to the 1970-2015 historical average for the World and Middle East & Africa in baselines (BAU) and successive mitigation scenarios, 2°C and 1.5°C of the four SSP 'archetype' scenarios. GDP/capita deviation is on the x-axis, FE/capita is on the y-axis. (b) Deviations in percentage points from baseline (BAU) growth rates in all scenarios mitigating to 1.5°C in various periods for the World and Middle East & Africa. Boxes encompass the interquartile range and have no whiskers. The horizontal line in the box shows the median scenario.

